

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	253917	(execut\$5 load\$3 run\$3 perform\$4 exe\$1) near3 (application\$1 code\$2 program\$4 software\$1)	USPAT; IBM_TDB	OR	OFF	2005/11/18 09:08
L2	63007	l1 near4 (node\$1 computer\$1 server\$1 printer\$1 workstation\$1)	USPAT; IBM_TDB	OR	OFF	2005/11/18 09:35
L3	63981	(receiv\$3 request\$3 perform\$3 generat\$3) near3 (message\$1 (function near call\$3))	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:20
L4	57528	(receiv\$3 request\$3 perform\$3 generat\$3) near3 (crypto cryptograph\$6 encrypt\$4 encipher\$8 cipher\$8 encod\$3 signature\$1 certificate\$1)	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:36
L5	35657	(pre-determin\$6 predetermin\$6 pre-define\$1 predefine\$1 known store\$1) near3 (crypto cryptograph\$6 encrypt\$4 encipher\$8 cipher\$8 encod\$3 signature\$1 certificate\$1)	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:17
L6	1078	l2 and l3 and l4 and l5	USPAT; IBM_TDB	OR	OFF	2005/11/18 09:17
L7	540	(unsecur\$6 insecur\$6 (not\$1 near2 high\$3) (not\$1 near2 as) unprotect\$2 unsafe (not\$1 near2 safe) (not\$1 near2 protect\$4)) near4 (node\$1 computer\$1 server\$1 printer\$1 workstation\$1)	USPAT; IBM_TDB	OR	OFF	2005/11/18 09:59
L8	66	l6 and l7	USPAT; IBM_TDB	OR	OFF	2005/11/18 09:23
L9	9969	(unsecur\$6 insecur\$6 (not\$1 near2 high\$3) (not\$1 near2 as) unprotect\$2 unsafe (not\$1 near2 safe) (not\$1 near2 protect\$4) open) near4 (node\$1 computer\$1 server\$1 printer\$1 workstation\$1)	USPAT; IBM_TDB	OR	OFF	2005/11/18 09:23
L10	185	l6 and l9	USPAT; IBM_TDB	OR	OFF	2005/11/18 09:25
L11	931	(unsecur\$6 insecur\$6 (not\$1 near2 high\$3) (not\$1 near2 as) unprotect\$2 unsafe (not\$1 near2 safe) (not\$1 near2 protect\$4) open) near4 l1	USPAT; IBM_TDB	OR	OFF	2005/11/18 09:35
L12	32	l6 and l11	USPAT; IBM_TDB	OR	OFF	2005/11/18 09:36

L13	81	(unsecur\$6 insecur\$6 (not\$1 near2 high\$3) (not\$1 near2 as) unprotect\$2 unsafe (not\$1 near2 safe) (not\$1 near2 protect\$4)) near4 l1	USPAT; IBM_TDB	OR	OFF	2005/11/18 09:35
L14	128334	(within in at on inside) near3 (node\$1 computer\$1 server\$1 printer\$1 workstation\$1)	USPAT; IBM_TDB	OR	OFF	2005/11/18 09:36
L16	45	l13 and l14	USPAT; IBM_TDB	OR	OFF	2005/11/18 09:36
L17	15	l16 and l5	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:17
L18	609	(unsecur\$6 insecur\$6 (not\$1 near2 high\$3) (not\$1 near2 as) unprotect\$2 unsafe (not\$1 near2 safe) (not\$1 near2 protect\$4)) near4 (node\$1 computer\$1 server\$1 printer\$1 workstation\$1)	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:16
L19	5345	(unsecur\$6 insecur\$6 (not\$1 near2 high\$3) (not\$1 near2 as) unprotect\$2 unsafe (not\$1 near2 safe) (not\$1 near2 protect\$4) open) near2 (pc node\$1 computer\$1 server\$1 printer\$1 workstation\$1)	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:16
L20	2453	l1 and l19	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:21
L21	38190	(pre-determin\$6 predetermin\$6 pre-define\$1 predefine\$1 store\$1 select\$3) near3 (crypto cryptograph\$6 encrypt\$4 encipher\$8 cipher\$8 encod\$3 signature\$1 certificate\$1)	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:18
L22	58565	(receiv\$3 request\$3 requir\$7 generat\$3) near3 (crypto cryptograph\$6 encrypt\$4 encipher\$8 cipher\$8 encod\$3 signature\$1 certificate\$1)	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:34
L24	262	l21 and l22 and l20	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:19
L25	3905	l1 near4 l14	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:21
L26	4	l24 and l25	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:34

L28	4245	((713/152) or (713/165) or (713/155) or (713/156) or (713/157) or (713/158) or (713/175) or (713/176) or (380/1) or (380/37) or (380/54) or (380/229) or (380/232) or (705/57) or (705/58) or (705/59) or (382/100) or (382/132) or (726/2) or (726/16) or (726/30)). CCLS.	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:33
L29	144	I28 and I19	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:34
L30	73485	(receiv\$3 request\$3 requir\$7 generat\$3) near5 (crypto cryptograph\$6 encrypt\$4 encipher\$8 cipher\$8 encod\$3 signature\$1 certificate\$1)	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:34
L31	118	I29 and I30	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:35
L33	67	I2 and I31	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:36
L34	53	I21 and I33	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:37
L35	42	I3 and I34	USPAT; IBM_TDB	OR	OFF	2005/11/18 10:37